

L Number	Hits	Search Text	DB	Time stamp
1	0	("adjust rate" with "signal strength") and @ad<19990410	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/04/27 16:30
2	0	("adjust speed" with "signal strength") and @ad<19990410	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/04/27 16:30
3	0	("adjust rate" same "signal strength") and @ad<19990410	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/04/27 16:31
4	17	("adjust rate" same "strength") and @ad<19990410	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/04/27 16:31
-	2	4589111.pn.	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/03/17 15:28
-	219	(710/29.ccls.) and @ad<19990410	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/04/27 16:30
-	114	(710/30.ccls.) and @ad<19990410	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/03/17 15:29
-	340	(710/105.ccls.) and @ad<19990410	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/03/17 15:29
-	136	(710/106.ccls.) and @ad<19990410	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/03/17 15:29
-	622	(710/107.ccls.) and @ad<19990410	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/03/17 15:29
-	3	((("first data rate" same "second data rate") same header same data) and @ad<19990410	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/03/17 15:37
-	0	((("first rate" with header) same ("second rate" with data)) and @ad<19990410	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/03/17 15:38
-	0	((("first rate" with data) same ("second rate" with header)) and @ad<19990410	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/03/17 15:38
-	85	((("first rate" with data) same ("second rate" with control)) and @ad<19990410	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/03/17 15:38

-	86	((("first rate" with control) same ("second rate" with data)) and @ad<19990410	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB USPAT	2004/03/17 15:38
-	32	4589111.URPN.	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB USPAT	2004/03/17 15:40
-	4	(wireless with equivalent with bus) and @ad<19990410	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB USPAT;	2004/03/22 07:06
-	21	("wireless bus") and @ad<19990410	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB USPAT;	2004/03/18 07:16
-	417	harriman.in.	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB USPAT;	2004/03/18 07:16
-	9	harriman.in. and achilles.in.	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB USPAT;	2004/03/18 07:17
-	311	(wireless with disadvantage) and @ad<19990410	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB USPAT;	2004/03/18 07:40
-	50	(wireless near2 disadvantage) and @ad<19990410	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB USPAT;	2004/03/18 07:47
-	284	(wireless near2 interference) and @ad<19990410	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB USPAT;	2004/03/18 09:01
-	4	664718.ap.	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB USPAT;	2004/03/18 07:56
-	3	(ack with resend with known) and @ad<19990410	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB USPAT;	2004/03/18 09:02
-	3	(ack with resend with \$5known) and @ad<19990410	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB USPAT;	2004/03/18 09:02
-	3	(ack\$8 with resend with \$5known) and @ad<19990410	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB USPAT;	2004/03/18 09:02
-	164	(ack\$8 with resend) and @ad<19990410	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB USPAT;	2004/03/18 09:41
-	1	(ack\$8 with (resend retransmit) with "error message") and @ad<19990410	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB USPAT;	2004/03/18 09:42

-	57	(ack\$8 with (resend retransmit) with error) and @ad<19990410	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/03/18 12:52
-	82	((resend retransmit retransmission) with "error message") and @ad<19990410	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/03/18 13:38
-	75	((resend retransmit retransmission) with "error signal") and @ad<19990410	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/03/18 13:54
-	74	((((resend retransmit retransmission) with "error signal") and @ad<19990410) not ((resend retransmit retransmission) with "error message") and @ad<19990410)	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/03/18 13:39
-	17	(signal adj prior adj2 (retransmission resending)) and @ad<19990410	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/03/18 14:28
-	13	("error register" same increment same decrement) and @ad<19990410	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/03/18 14:32
-	29	("error counter" same increment same decrement) and @ad<19990410	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/03/18 15:08
-	12	("signal strength register") and @ad<19990410	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/03/18 15:11
-	0	("signal-strength register") and @ad<19990410	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/03/18 15:11
-	158	("signal strength" with register) and @ad<19990410	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/03/18 16:04
-	2	("signal strength" with register with adjust) and @ad<19990410	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/03/18 16:08
-	1780	((second with rate) same multiple same (first with rate)) and @ad<19990410	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/03/18 16:09
-	74	((("second rate") with multiple with ("first rate"))) and @ad<19990410	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/03/19 07:07
-	21	((("second rate") with integral with ("first rate"))) and @ad<19990410	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/03/19 07:12
			USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	

-	228	(rate with integral with (transmit transmission)) and @ad<19990410	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/03/19 07:41
-	2	5448561.pn.	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/03/19 07:55
-	204	"wo 88/" and reed	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/03/19 07:57
-	10256	reed.in.	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/03/19 07:57
-	0	reed.in. and ("wo " adj 88/004\$2)	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/03/19 07:58
-	5	reed and ("wo " adj 88/004\$2)	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/03/19 07:58
-	12046	("integral multiple") and @ad<19990410	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/03/22 07:07
-	1144	("integral multiple" same rate) and @ad<19990410	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/03/22 07:07
-	361	("integral multiple" same rate same data) and @ad<19990410	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/03/22 07:07
-	262	("integral multiple" same (rate with data)) and @ad<19990410	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/03/22 07:09
-	1813	("integral multiple" same first same second) and @ad<19990410	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/03/22 07:09
-	1105	("integral multiple" with first with second) and @ad<19990410	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/03/22 07:22
-	101	("integral multiple" with first with second with rate) and @ad<19990410	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/03/22 07:12
-	38	("integral multiple" with first with second with channel) and @ad<19990410	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/03/22 07:14

-	3	("integral multiple" with "channel rate") and @ad<19990410	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/03/22 07:14
-	51	("integral multiple" with "data rate") and @ad<19990410	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/03/22 07:56
-	13	("integral multiple" with header with (data body)) and @ad<19990410	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/03/22 08:19
-	2	((header with ("first rate" "first data rate")) same ((data body) with ("first rate" "first data rate"))) and @ad<19990410	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/03/22 08:02
-	1	((header with ("first rate" "first data rate")) same ((data body) with ("second rate" "second data rate"))) and @ad<19990410	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/03/22 08:12
-	121	("subcarrier multiplexing") and @ad<19990410	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/03/22 08:12
-	0	("subcarrier multiplexing" same "integral multiple") and @ad<19990410	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/03/22 08:12
-	0	("subcarrier multiplexing" same "integral") and @ad<19990410	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/03/22 08:12
-	25	("subcarrier multiplexing" same "multiple") and @ad<19990410	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/03/22 08:12
-	136	("integral multiple" with known) and @ad<19990410	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/03/22 08:20
-	150	("integral multiple" with \$known) and @ad<19990410	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/03/22 08:20
-	5	("integral multiple" with well\$known) and @ad<19990410	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/03/22 08:26
-	1	"4330856".PN.	USPAT	2004/03/22 08:25
-	1	"4174465".PN.	USPAT	2004/03/22 08:25
-	1	"4132862".PN.	USPAT	2004/03/22 08:26
-	1	"3636524".PN.	USPAT	2004/03/22 08:26

-	33	("integral multiple" with "time division") and @ad<19990410	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/03/22 08:26
-	8	("integral multiple" with "time-division") and @ad<19990410	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/03/22 08:53
-	33	((("integral multiple" with "time division") and @ad<19990410) (("integral multiple" with "time-division") and @ad<19990410)	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/03/22 08:31
-	0	((error adj (message signal)) adj (prior before) adj (retransmission re-transmission resent resending retransmitting re-transmitting re-sent re-sending)) and @ad<19990410	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/03/22 08:54
-	0	((error adj (message signal)) adj3 (prior before) adj3 (retransmission re-transmission resent resending retransmitting re-transmitting re-sent re-sending)) and @ad<19990410	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/03/22 08:56
-	83843	((error adj (message signal))) and @ad<19990410	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/03/22 08:57
-	244	((error adj (message signal)) with (acknowledgement acknowledgment ack)) and @ad<19990410	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/03/22 09:04
-	442	("error notification") and @ad<19990410	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/03/22 09:05
-	2	("error notification" with retransmission) and @ad<19990410	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/03/22 09:05
-	0	("error notification" with retransmitting) and @ad<19990410	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/03/22 09:05
-	0	("error notification" with re-transmitting) and @ad<19990410	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/03/22 09:06
-	0	("error notification" with re-transmission) and @ad<19990410	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/03/22 09:06
-	0	("error notification" with re-transmits) and @ad<19990410	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/03/22 09:06
-	2	("error notification" with retransmits) and @ad<19990410	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/03/22 09:09

-	1309	("error frame") and @ad<19990410	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/03/22 09:09
-	7	("error frame" with (ack acknowledgement acknowledgment)) and @ad<19990410	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/03/22 09:20
-	167	(error near acknowledge) and @ad<19990410	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/03/22 09:32
-	16	(nack adj acknowledge) and @ad<19990410	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/03/22 09:34
-	9640	((timeout time-out "time out") with (message signal)) and @ad<19990410	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/03/22 09:38
-	169	((timeout time-out "time out") with (message signal) with acknowledge) and @ad<19990410	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/03/22 09:42
-	40	((timeout time-out "time out") adj (message signal)) with acknowledge) and @ad<19990410	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/03/22 10:00
-	0	((timeout time-out "time out") adj (message signal)) same "adjust rate") and @ad<19990410	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/03/22 10:01
-	0	((timeout time-out "time out") adj (message signal)) same (adjust with rate)) and @ad<19990410	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/03/22 10:36
-	19	((error with register) same (adjust with rate)) and @ad<19990410	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/03/22 10:56
-	158	("signal strength" with register) and @ad<19990410	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/03/22 12:50
-	0	("signal strength" with "adjust rate") and @ad<19990410	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/03/22 12:50
-	0	("signal strength" same "adjust rate") and @ad<19990410	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/03/22 12:55
-	2	("signal strength" same "vary rate") and @ad<19990410	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/03/22 13:26

-	371	("communications protocol" same processor same program) and @ad<19990410	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/03/22 13:30
-	204	("communications protocol" same processor same instructions) and @ad<19990410	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/03/22 13:30
-	0	("communications protocol" same "processor with instructions") and @ad<19990410	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/03/22 13:31
-	139	("communications protocol" same (processor with instructions)) and @ad<19990410	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/03/22 14:44
-	72	("solid state" with memory with "well known") and @ad<19990410	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/03/22 14:44